

# All Sizes

TR / 120

| TIRE SIZE | PR | TT/TL | LOAD INDEX | SPEED SYMBOL | RIM             |                    | INFLATED DIMENSIONS (NO LOAD) |                     | INFLATED DIMENSIONS (W/LOAD) |                           | INFLATING PRESSURE (psi) | LOAD CAPACITY PER TIRE (KG) |    |    |      |      |    |
|-----------|----|-------|------------|--------------|-----------------|--------------------|-------------------------------|---------------------|------------------------------|---------------------------|--------------------------|-----------------------------|----|----|------|------|----|
|           |    |       |            |              | RECOM. (INCHES) | PERMITTED (INCHES) | Section Width Min-Max         | OUTER DIAMETER (MM) | DYNAMIC RADIUS CIRCLE (MM)   | STATIC LOADED RADIUS (MM) |                          | Speed (KM/H)                |    |    |      |      |    |
|           |    |       |            |              |                 |                    |                               |                     |                              |                           |                          | 10                          | 15 | 20 | 25   | 30   | 40 |
| 210/95R32 |    | TL    | 114        | A8           | W7              | W6                 | 211                           | 1212                | 3676                         | 571                       | 17 / 1.2                 | 1025                        |    |    | 885  | 825  |    |
|           |    | TL    | 114        | A8           | W7              | W6                 | 211                           | 1212                | 3676                         | 571                       | 23 / 1.6                 | 1100                        |    |    | 1085 | 1015 |    |
|           |    | TL    | 114        | A8           | W7              | W6                 | 211                           | 1212                | 3676                         | 571                       | 29 / 2.0                 | 1240                        |    |    | 1175 | 1095 |    |
|           |    | TL    | 114        | A8           | W7              | W6                 | 211                           | 1212                | 3676                         | 571                       | 35 / 2.4                 | 1350                        |    |    | 1260 | 1180 |    |
| 210/95R36 |    | TL    | 116        | A8           | W7              | W6                 | 211                           | 1314                | 3985                         | 621                       | 17 / 1.2                 | 1025                        |    |    | 935  | 875  |    |
|           |    | TL    | 116        | A8           | W7              | W6                 | 211                           | 1314                | 3985                         | 621                       | 23 / 1.6                 | 1270                        |    |    | 1150 | 1075 |    |
|           |    | TL    | 116        | A8           | W7              | W6                 | 211                           | 1314                | 3985                         | 621                       | 29 / 2.0                 | 1380                        |    |    | 1244 | 1160 |    |
|           |    | TL    | 116        | A8           | W7              | W6                 | 211                           | 1314                | 3985                         | 621                       | 35 / 2.4                 | 1520                        |    |    | 1335 | 1250 |    |
| 210/95R44 |    | TL    | 120        | A8           | W7              | W6                 | 211                           | 1522                | 4616                         | 723                       | 17 / 1.2                 | 1200                        |    |    | 1165 | 1090 |    |
|           |    | TL    | 120        | A8           | W7              | W6                 | 211                           | 1522                | 4616                         | 723                       | 23 / 1.6                 | 1380                        |    |    | 1285 | 1200 |    |
|           |    | TL    | 120        | A8           | W7              | W6                 | 211                           | 1522                | 4616                         | 723                       | 29 / 2.0                 | 1620                        |    |    | 1390 | 1300 |    |
|           |    | TL    | 120        | A8           | W7              | W6                 | 211                           | 1522                | 4616                         | 723                       | 35 / 2.4                 | 1800                        |    |    | 1500 | 1400 |    |
| 230/95R32 |    | TL    | 126        | A8           | W7              | W8                 | 230                           | 1255                | 3799                         | 593                       | 20 / 1.4                 | 1125                        |    |    | 1070 | 1000 |    |
|           |    | TL    | 126        | A8           | W7              | W8                 | 230                           | 1255                | 3799                         | 593                       | 23 / 1.6                 | 1260                        |    |    | 1165 | 1085 |    |
|           |    | TL    | 126        | A8           | W7              | W8                 | 230                           | 1255                | 3799                         | 593                       | 29 / 2.0                 | 1380                        |    |    | 1270 | 1190 |    |
|           |    | TL    | 126        | A8           | W7              | W8                 | 230                           | 1255                | 3799                         | 593                       | 35 / 2.4                 | 1630                        |    |    | 1365 | 1275 |    |
|           |    | TL    | 126        | A8           | W7              | W8                 | 230                           | 1255                | 3799                         | 593                       | 40 / 2.8                 | 1850                        |    |    | 1490 | 1390 |    |
|           |    | TL    | 126        | A8           | W7              | W8                 | 230                           | 1255                | 3799                         | 593                       | 46 / 3.2                 | 2000                        |    |    | 1620 | 1510 |    |
|           |    | TL    | 126        | A8           | W7              | W8                 | 230                           | 1255                | 3799                         | 593                       | 58 / 4.0                 | 2200                        |    |    | 1820 | 1700 |    |
| 230/95R36 |    | TL    | 128        | A6           | W7              | W8                 | 230                           | 1358                | 4117                         | 644                       | 20 / 1.4                 | 1220                        |    |    | 1135 | 1060 |    |
|           |    | TL    | 128        | A6           | W7              | W8                 | 230                           | 1358                | 4117                         | 644                       | 23 / 1.6                 | 1330                        |    |    | 1230 | 1150 |    |
|           |    | TL    | 128        | A6           | W7              | W8                 | 230                           | 1358                | 4117                         | 644                       | 29 / 2.0                 | 1425                        |    |    | 1345 | 1260 |    |

| TIRE SIZE | PR | TT/TL | LOAD INDEX | SPEED SYMBOL | RIM             |                    | INFLATED DIMENSIONS (NO LOAD) |                     | INFLATED DIMENSIONS (W/LOAD) |                           | INFLATING PRESSURE (psi) | LOAD CAPACITY PER TIRE (KG) |    |    |      |      |    |
|-----------|----|-------|------------|--------------|-----------------|--------------------|-------------------------------|---------------------|------------------------------|---------------------------|--------------------------|-----------------------------|----|----|------|------|----|
|           |    |       |            |              | RECOM. (INCHES) | PERMITTED (INCHES) | Section Width Min-Max         | OUTER DIAMETER (MM) | DYNAMIC RADIUS CIRCLE (MM)   | STATIC LOADED RADIUS (MM) |                          | Speed (KM/H)                |    |    |      |      |    |
|           |    |       |            |              |                 |                    |                               |                     |                              |                           |                          | 10                          | 15 | 20 | 25   | 30   | 40 |
|           |    | TL    | 128        | A6           | W7              | W8                 | 230                           | 1358                | 4117                         | 644                       | 35 / 2.4                 | 1640                        |    |    | 1445 | 1350 |    |
|           |    | TL    | 128        | A6           | W7              | W8                 | 230                           | 1358                | 4117                         | 644                       | 40 / 2.8                 | 1750                        |    |    | 1580 | 1475 |    |
|           |    | TL    | 128        | A6           | W7              | W8                 | 230                           | 1358                | 4117                         | 644                       | 46 / 3.2                 | 1940                        |    |    | 1715 | 1600 |    |
|           |    | TL    | 128        | A6           | W7              | W8                 | 230                           | 1358                | 4117                         | 644                       | 58 / 4.0                 | 2300                        |    |    | 1925 | 1800 |    |
| 230/95R40 |    | TL    | 122        | A8           | W7              | W8                 | 228                           | 1454                | 4362                         | 684                       | 29 / 2.0                 | 2080                        |    |    | 1485 | 1390 |    |
|           |    | TL    | 122        | A8           | W7              | W8                 | 228                           | 1454                | 4362                         | 684                       | 32 / 2.2                 | 2115                        |    |    | 1510 | 1410 |    |
|           |    | TL    | 122        | A8           | W7              | W8                 | 228                           | 1454                | 4362                         | 684                       | 35 / 2.4                 | 2250                        |    |    | 1605 | 1500 |    |
| 230/95R44 |    | TL    | 132        | A8           | W7              | W8                 | 230                           | 1568                | 4748                         | 733                       | 20 / 1.4                 | 1370                        |    |    | 1260 | 1180 |    |
|           |    | TL    | 132        | A8           | W7              | W8                 | 230                           | 1568                | 4748                         | 733                       | 23 / 1.6                 | 1500                        |    |    | 1370 | 1280 |    |
|           |    | TL    | 132        | A8           | W7              | W8                 | 230                           | 1568                | 4748                         | 733                       | 29 / 2.0                 | 1600                        |    |    | 1495 | 1400 |    |
|           |    | TL    | 132        | A8           | W7              | W8                 | 230                           | 1568                | 4748                         | 733                       | 35 / 2.4                 | 1790                        |    |    | 1605 | 1500 |    |
|           |    | TL    | 132        | A8           | W7              | W8                 | 230                           | 1568                | 4748                         | 733                       | 40 / 2.8                 | 1950                        |    |    | 1755 | 1640 |    |
|           |    | TL    | 132        | A8           | W7              | W8                 | 230                           | 1568                | 4748                         | 733                       | 46 / 3.2                 | 2230                        |    |    | 1905 | 1780 |    |
|           |    | TL    | 132        | A8           | W7              | W8                 | 230                           | 1568                | 4748                         | 733                       | 58 / 4.0                 | 2500                        |    |    | 2140 | 2000 |    |
| 230/95R48 |    | TL    | 136        | A2           | W7              | W8                 | 230                           | 1662                | 5031                         | 796                       | 20 / 1.4                 | 1228                        |    |    | 1040 | 974  |    |
|           |    | TL    | 136        | A2           | W7              | W8                 | 230                           | 1662                | 5031                         | 796                       | 23 / 1.6                 | 1344                        |    |    | 1130 | 1056 |    |
|           |    | TL    | 136        | A2           | W7              | W8                 | 230                           | 1662                | 5031                         | 796                       | 29 / 2.0                 | 1434                        |    |    | 1233 | 1155 |    |
|           |    | TL    | 136        | A2           | W7              | W8                 | 230                           | 1662                | 5031                         | 796                       | 35 / 2.4                 | 1604                        |    |    | 1324 | 1238 |    |
|           |    | TL    | 136        | A2           | W7              | W8                 | 230                           | 1662                | 5031                         | 796                       | 40 / 2.8                 | 1747                        |    |    | 1448 | 1353 |    |
|           |    | TL    | 136        | A2           | W7              | W8                 | 230                           | 1662                | 5031                         | 796                       | 46 / 3.2                 | 1998                        |    |    | 1572 | 1469 |    |
|           |    | TL    | 136        | A2           | W7              | W8                 | 230                           | 1662                | 5031                         | 796                       | 58 / 4.0                 | 2240                        |    |    | 1766 | 1560 |    |
| 270/95R32 |    | TL    | 136        | A8           | W9              | W8, W10            | 275                           | 1327                | 3981                         | 618                       | 49 / 3.4                 | 3110                        |    |    | 2215 | 2070 |    |
|           |    | TL    | 136        | A8           | W9              | W8, W10            | 275                           | 1327                | 3981                         | 618                       | 52 / 3.6                 | 3160                        |    |    | 2250 | 2105 |    |
|           |    | TL    | 136        | A8           | W9              | W8, W10            | 275                           | 1327                | 3981                         | 618                       | 58 / 4.0                 | 3360                        |    |    | 2395 | 2240 |    |

| TIRE SIZE | PR | TT/TL | LOAD INDEX | SPEED SYMBOL | RIM             |                    | INFLATED DIMENSIONS (NO LOAD) |                     | INFLATED DIMENSIONS (W/LOAD) |                           | INFLATING PRESSURE (psi) | LOAD CAPACITY PER TIRE (KG) |    |    |      |      |    |
|-----------|----|-------|------------|--------------|-----------------|--------------------|-------------------------------|---------------------|------------------------------|---------------------------|--------------------------|-----------------------------|----|----|------|------|----|
|           |    |       |            |              | RECOM. (INCHES) | PERMITTED (INCHES) | Section Width Min-Max         | OUTER DIAMETER (MM) | DYNAMIC RADIUS CIRCLE (MM)   | STATIC LOADED RADIUS (MM) |                          | Speed (KM/H)                |    |    |      |      |    |
|           |    |       |            |              |                 |                    |                               |                     |                              |                           |                          | 10                          | 15 | 20 | 25   | 30   | 40 |
| 270/95R38 |    | TL    | 140        | A8           | W9              | W8, W10            | 275                           | 1479                | 4437                         | 673                       | 49 / 3.4                 | 3470                        |    |    | 2475 | 2310 |    |
|           |    | TL    | 140        | A8           | W9              | W8, W10            | 275                           | 1479                | 4437                         | 673                       | 52 / 3.6                 | 3525                        |    |    | 2515 | 2350 |    |
|           |    | TL    | 140        | A8           | W9              | W8, W10            | 275                           | 1479                | 4437                         | 673                       | 58 / 4.0                 | 3750                        |    |    | 2675 | 2500 |    |
| 270/95R44 |    | TL    | 142        | A8           | W9              | W8, W10            | 275                           | 1632                | 4896                         | 770                       | 49 / 3.4                 | 3675                        |    |    | 2620 | 2450 |    |
|           |    | TL    | 142        | A8           | W9              | W8, W10            | 275                           | 1632                | 4896                         | 770                       | 52 / 3.6                 | 3735                        |    |    | 2665 | 2490 |    |
|           |    | TL    | 142        | A8           | W9              | W8, W10            | 275                           | 1632                | 4896                         | 770                       | 58 / 4.0                 | 3975                        |    |    | 2835 | 2650 |    |
| 270/95R48 |    | TL    | 144        | A8           | W9              | W8, W10            | 275                           | 1733                | 5199                         | 821                       | 49 / 3.4                 | 3885                        |    |    | 2770 | 2590 |    |
|           |    | TL    | 144        | A8           | W9              | W8, W10            | 275                           | 1733                | 5199                         | 821                       | 52 / 3.6                 | 3950                        |    |    | 2815 | 2630 |    |
|           |    | TL    | 144        | A8           | W9              | W8, W10            | 275                           | 1733                | 5199                         | 821                       | 58 / 4.0                 | 4200                        |    |    | 2995 | 2800 |    |
| 270/95R54 |    | TL    | 157        | A2           | W10             | W8.9               | 275                           | 1890                | 5721                         | 904                       | 20 / 1.4                 | 2079                        |    |    | 1618 | 1512 |    |
|           |    | TL    | 157        | A2           | W10             | W8.9               | 275                           | 1890                | 5721                         | 904                       | 23 / 1.6                 | 2553                        |    |    | 1972 | 1843 |    |
|           |    | TL    | 157        | A2           | W10             | W8.9               | 275                           | 1890                | 5721                         | 904                       | 29 / 2.0                 | 2772                        |    |    | 2157 | 2016 |    |
|           |    | TL    | 157        | A2           | W10             | W8.9               | 275                           | 1890                | 5721                         | 904                       | 35 / 2.4                 | 2970                        |    |    | 2311 | 2160 |    |
|           |    | TL    | 157        | A2           | W10             | W8.9               | 275                           | 1890                | 5721                         | 904                       | 40 / 2.8                 | 3247                        |    |    | 2527 | 2362 |    |
|           |    | TL    | 157        | A2           | W10             | W8.9               | 275                           | 1890                | 5721                         | 904                       | 46 / 3.2                 | 3524                        |    |    | 2743 | 2563 |    |
|           |    | TL    | 157        | A2           | W10             | W8.9               | 275                           | 1890                | 5721                         | 904                       | 58 / 4.0                 | 3960                        |    |    | 3082 | 2880 |    |
| 300/95R46 |    | TL    | 148        | A8           | W9              | DW10,W10,DW11,W11  | 295                           | 1738                | 5214                         | 807                       | 49 / 3.4                 | 4350                        |    |    | 3100 | 2900 |    |
|           |    | TL    | 148        | A8           | W9              | DW10,W10,DW11,W11  | 295                           | 1738                | 5214                         | 807                       | 52 / 3.6                 | 4540                        |    |    | 3235 | 3025 |    |
|           |    | TL    | 148        | A8           | W9              | DW10,W10,DW11,W11  | 295                           | 1738                | 5214                         | 807                       | 58 / 4.0                 | 4725                        |    |    | 3370 | 3150 |    |